

**Amendments to the Claims:**

This listing of claims replaces all prior versions, and listings, of claims in this application.

**Listing of Claims:**

27. (Previously Presented) A method of protecting against cell damage from oxidative stress or stimulating repair of cells damaged due to oxidative stress, comprising administering a composition comprising vitamin E phosphate encapsulated in a liposome comprising polyenylphosphatidylcholine, in amounts of effective to protect against cell damage from oxidative stress or stimulate repair of cells damaged due to oxidative stress.

28. (Previously Presented) The method of claim 27, wherein the oxidative stress results from exposure to ethanol.

29. (Previously Presented) The method of claim 27, wherein the oxidative stress results from exposure to allyl alcohol.

30. (Previously Presented) The method of claim 27, wherein the oxidative stress results from exposure to iron.

31. (Previously Presented) The method of claim 27, wherein the oxidative stress results from exposure to a toxin in the environment.

32. (Previously Presented) The method of claim 27, wherein the composition is orally administered to a subject.

33. (Previously Presented) The method of claim 27, wherein the composition is intravenously administered to a subject.

34. (Previously Presented) The method of claim 27, wherein the composition is topically administered to a subject.

35. (Previously Presented) The method of claim 27, wherein the composition is sublingually administered to a subject.

36. (Previously Presented) The method of claim 27, wherein the composition is administered to the mucosa of a subject.

37. (Previously Presented) The method of claim 27, wherein the composition is administered to the tissues of a subject during surgery.

38. (Previously Presented) The method of claim 27, wherein the composition is in the form of a cream or gel.

39. (Previously Presented) The method of claim 27, wherein the composition is in the form of a spray or mist.

40. (Previously Presented) The method of claim 27, wherein the composition is in the form of a cosmetic.

41. (Previously Presented) The method of claim 27, wherein the composition is in the form of a beverage.

42. (Previously Presented) The method of claim 27, wherein the composition is in the form of a suppository.

43. (Previously Presented) The method of claim 27, wherein the composition is in the form of a tablet or capsule.

44. (Previously Presented) The method of claim 27, wherein the composition is used for the transport of organs.

45. (Previously Presented) The method of claim 27, wherein the cells are liver cells.

46. (Previously Presented) The method of claim 27, wherein the cells are intestine cells.

47. (Previously Presented) The method of claim 27, wherein the cells are macrophages.

48. (Previously Presented) A method of protecting a human subject against cell damage from oxidative stress or stimulating repair of cells damaged due to oxidative stress, comprising administering to the human subject a composition comprising vitamin E phosphate encapsulated in a liposome comprising polyenylphosphatidylcholine, in amounts effective to protect the human subject against cell damage from oxidative stress or stimulate repair of cells damaged due to oxidative stress.

49. (Previously Presented) The method of claim 48, wherein the oxidative stress results from exposure to ethanol.

50. (Previously Presented) The method of claim 48, wherein the oxidative stress results from exposure to allyl alcohol.

51. (Previously Presented) The method of claim 48, wherein the oxidative stress results from exposure to iron.

52. (Previously Presented) The method of claim 48, wherein the oxidative stress results from exposure to a toxin in the environment.

53. (Previously Presented) The method of claim 48, wherein the composition is orally administered to the subject.

54. (Previously Presented) The method of claim 48, wherein the composition is intravenously administered to the subject.

55. (Previously Presented) The method of claim 48, wherein the composition is topically administered to the subject.

56. (Previously Presented) The method of claim 48, wherein the composition is sublingually administered to the subject.

57. (Previously Presented) The method of claim 48, wherein the composition is administered to the mucosa of the subject.

58. (Previously Presented) The method of claim 48, wherein the composition is administered to the tissues of the subject during surgery.

59. (Previously Presented) The method of claim 48, wherein the composition is in the form of a cream or gel.

60. (Previously Presented) The method of claim 48, wherein the composition is in the form of a spray or mist.

61. (Previously Presented) The method of claim 48, wherein the composition is in the form of a cosmetic.

62. (Previously Presented) The method of claim 48, wherein the composition is in the form of a beverage.

63. (Previously Presented) The method of claim 48, wherein the composition is in the form of a suppository.

64. (Previously Presented) The method of claim 48, wherein the composition is in the form of a tablet or capsule.

65. (Previously Presented) The method of claim 48, wherein the cells are liver cells.

66. (Previously Presented) The method of claim 48, wherein the cells are intestine cells.

67. (Previously Presented) The method of claim 48, wherein the cells are macrophages.